


# Mini Comprehensive Fixation System

AR-18700FS/AR-18700S



## 1.0 mm/1.4 mm Module (AR-18700S-14)


Pic.	Item Number	Qty.	Description
1	AR-18714-06-16	*	Cortical Screws, 1.4 mm
2	AR-18714V-06-16	*	VAL Screws, 1.4 mm
3	AR-18700-34		BB-Taks
4	AR-18700-32		Parallel Drill Guide, 1.4 mm
5	AR-18700-11		Holding Sleeve
6	AR-18700-43		Locking Bending Guide, 1.4 mm
7	AR-18700-09		Driver Shaft, T4
8	AR-18700-29	*	Driver Shaft, T4, non-retaining, mini AO
9	AR-18700-18		Drill/Depth Guide, 1.4 mm
10	AR-18700-59		Drill Guide, VAL, cone-shaped, 1.4 mm
11	AR-18700-30		Guidewire w/ Trocar Tip, 1.1 mm

\*Facility dependent

\*FDA clearance pending

## 1.0 mm/1.4 mm Module (AR-18700S-14)


Pic.	Item Number	Qty.	Description
12	AR-18700-10		Countersink, 1.4 mm
13	AR-18700-07		Drill Bit, mini AO, 1.4 mm
14	AR-18700-06		Drill Bit, mini AO, calibrated, 1.1 mm
15	AR-18700-08		Drill Guide, 1.1 mm/1.4 mm
16	AR-18700-04		Depth Device, 1.0 mm
17	AR-18700-02		Guidewire, .028 in
18	AR-18700-01		Drill Bit, solid, 0.75 mm
19	AR-18700-03		Driver Shaft, 1.0 mm
20	AR-18710-06-14	*	Cortical Screws, 1.0 mm*
21	AR-18700-05		Holding Sleeve, 1.0 mm



### 1.0 mm/1.4 mm Module (AR-18700S-14)

Pic.	Item Number	Qty.	Description
1	AR-18714P-03	*	Straight Plate, 6-hole
2	AR-18714P-07	*	Straight Plate, 10-hole
3	AR-18714P-29	*	Bridge Plate, straight, 6-hole
4	AR-18714P-21	*	Hook Plate
5	AR-18714P-18	*	Triangle Plate, 8-hole
6	AR-18714P-22	*	Cage Plate, 2 x 5 hole
7	AR-18714P-10	*	Y-Plate, 6-hole
8	AR-18714P-12	*	Y-Plate, 8-hole
9	AR-18714P-20	*	Z-Plate, 10-hole
10	AR-18714P-27	*	T-Plate, 8-hole


\*Facility dependent



### 1.6 mm Module (AR-18700S-16)

Pic.	Item Number	Qty.	Description
1	AR-18716-06-24	*	Cortical Screws, 1.6 mm
2	AR-18716V-06-24	*	VAL Screws, 1.6 mm
3	AR-18700-34		BB-Taks
4	AR-18700-17		Screw Holding Sleeve, 1.6 mm
5	AR-18700-31		Parallel Drill Guide, hook plate, 1.6 mm
6	AR-18700-26		Locking Bending Guide, 1.6 mm/2.0 mm
7	AR-18700-15		Driver Shaft, self-retaining, mini AO, T6
8	AR-18700-23	*	Driver Shaft, T6, non-retaining
9	AR-18700-19		Drill/Depth Guide, 1.6 mm
10	AR-18700-60		Drill Guide, VAL, cone-shaped, 1.6 mm
11	AR-18700-16		Countersink, solid, 1.6 mm
12	AR-18700-13		Drill Bit, mini AO, 1.6 mm
13	AR-18700-12		Drill Bit, mini AO, calibrated, 1.2 mm
14	AR-18700-33		Guidewire w/ Trocar Tip, 1.1 mm
15	AR-18700-14		Drill Guide, 1.2 mm/1.6 mm


\*Facility dependent



### 1.6 mm Module (AR-18700S-16)

Pic.	Item Number	Qty.	Description
1	AR-18716P-03	*	Straight Plate, 6-hole
2	AR-18716P-07	*	Straight Plate, 10-hole
3	AR-18716P-29	*	Bridge Plate, straight, 6-hole
4	AR-18716P-22	*	Hook Plate
5	AR-18716P-27	*	Triangle Plate, 8-hole
6	AR-18716P-21	*	Cage Plate, 2 x 5 hole
7	AR-18716P-10	*	Y-Plate, 6-hole
8	AR-18716P-12	*	Y-Plate, 8-hole
9	AR-18716P-20	*	Z-Plate, 10-hole
10	AR-18716P-18	*	T-Plate, 8-hole
11	AR-18716P-30	*	Rotation Correction Plate


\*Facility dependent



### 2.0 mm Module (AR-18700S-20)

Pic.	Item Number	Qty.	Description
1	AR-18720-06-26	*	Cortical Screws, 2.0 mm
2	AR-18720V-06-26	*	VAL Screws, 2.0 mm
3	AR-18700-34		BB-Taks
4	AR-18700-25		Screw Holding Sleeve, 2.0 mm
5	AR-18700-26		Locking Bending Guide, 1.6 mm/2.0 mm
6	AR-18700-15		Driver Shaft, T6
7	AR-18700-23	*	Driver Shaft, T6, self-retaining
8	AR-18700-37		Drill/Depth Guide, 1.6 mm/2.0 mm
9	AR-18700-61		Drill Guide, VAL, cone-shaped 2.0 mm
10	AR-18700-24		Countersink, 2.0 mm
11	AR-18700-21		Drill Bit, mini AO, 2.0 mm
12	AR-18700-20		Drill Bit, 1.5 mm
13	AR-18700-51		Guidewire w/ Trocar Tip, 1.6 mm
14	AR-18700-22		Drill Guide, 1.5 mm/2.0 mm


\*Facility dependent



### 2.0 mm Module (AR-18700S-20)

Pic.	Item Number	Qty.	Description
1	AR-8725-36H, 40H, 46H, 50H		2.5 Micro Compression FT™ Screws
2	AR-8737-39		Guidewires w/ Trocar Tip for Micro Compression FT Screw, .086 mm
3	AR-8737-58		Drill Bit, calibrated, 2.2 mm
4	AR-8737-51		Depth Device
5	AR-8737-37		Driver, hex
6	AR-18720P-03	*	Straight Plate, 6-hole
7	AR-18720P-07	*	Straight Plate, 10-hole
8	AR-18720P-55	*	Bridge Plate, straight, 6-hole
9	AR-18720P-49	*	Cage Plate, 2 × 5 hole
10	AR-18720P-48	*	T-plate, rotation correction, 5-hole
11	AR-18720P-54	*	Triangle Plate, 8-hole
12	AR-18720P-10	*	Y-Plate, 6-hole
13	AR-18720P-12	*	Y-Plate, 8-hole
14	AR-18720P-17	*	T-Plate, 6-hole
15	AR-18720P-19	*	T-Plate, 8-hole
16	AR-18720P-31	*	T-Plate, 6-hole, reinforced
17	AR-18720P-33	*	T-Plate, 8 hole, reinforced
18	AR-18720P-43	*	Wide T-Plate, 6 hole
19	AR-18720P-47	*	Wide T-Plate, 10 hole
20	AR-18720P-37	*	V-Plate, 6-hole
21	AR-18720P-41	*	V-Plate, 10-hole
22	AR-18720P-24	*	Straight Plate, 6-hole, reinforced
23	AR-18720P-26	*	Straight Plate, 8-hole, reinforced


\*Facility dependent



### 2.4 mm Module (AR-18700S-24)

Pic.	Item Number	Qty.	Description
1	AR-18724-06-26	*	Cortical Screws, 2.4 mm
2	AR-18724V-06-26	*	VAL Screws, 2.4 mm
3	AR-18700-34		BB-Taks
4	AR-18700-38		Screw Holding Sleeve, 2.4 mm
5	AR-8950-08		Locking Bending Guide, 2.4 mm
6	AR-18700-54		Driver Shaft, T8, self-retaining
7	AR-18700-55	*	Driver Shaft, T8, non-retaining, AO
8	AR-18700-57		Drill/Depth Guide, 2.4 mm
9	AR-18700-62		Drill Guide, VAL, cone-shaped, 2.4 mm
10	AR-8950-01		Countersink, 2.4 mm
11	AR-4160-24		Drill Bit, 2.4 mm
12	AR-18700-58		Drill Bit, 1.7 mm
13	AR-18700-71		Guidewire w/ Trocar Tip, 1.6 mm
14	AR-8916-05		Drill Guide, 1.7 mm/2.5 mm

\*Facility dependent




### 2.4 mm Module (AR-18700S-24)

Pic.	Item Number	Qty.	Description
1	AR-8730-36H, 40H, 46H, 50H		3.5 Mini Compression FT™ Screws
2	AR-8737-41		Guidewire w/ Trocar Tip, 0.45 in, for Mini Compression FT Screw, 1.1 mm
3	AR-8737-50		Drill Bit, calibrated, 3.2 mm
4	AR-8737-51		Depth Device, smal
5	AR-8737-38		Driver, T10 hexalobe
6	AR-18724P-03	*	Straight Plate, 6-hole
7	AR-18724P-07	*	Straight Plate, 10-hole
8	AR-18724P-34	*	Bridge Plate, straight, 6-hole
9	AR-18724P-54	*	Cage Plate, 2 × 5 hole
10	AR-18724P-39	*	Triangle Plate, 8-hole
11	AR-18724P-49	*	Y-Plate, 6-hole
12	AR-18724P-51	*	Y-Plate, 8-hole
13	AR-18724P-10	*	T-Plate, 6-hole
14	AR-18724P-12	*	T-Plate, 8-hole
15	AR-18724P-42	*	T-Plate, 6-hole, reinforced
16	AR-18724P-44	*	T-Plate, 8-hole, reinforced
17	AR-18724P-29	*	T-Plate, wide, 6-hole
18	AR-18724P-33	*	T-Plate, wide, 10-hole
19	AR-18724P-23	*	V-Plate, 6-hole
20	AR-18724P-27	*	V-Plate, 10-hole
21	AR-18724P-17	*	Straight Plate, 6-hole, reinforced
22	AR-18724P-19	*	Straight Plate, 8-hole, reinforced

\*Facility dependent






### Extended Screw Module (AR-18700C-SC)


Pic.	Item Number	Qty.	Description
1	AR-18720-28-40	*	Cortical Screws, 2.0 mm
2	AR-18720V-28-40	*	VAL Screws, 2.0 mm
3	AR-18724-28-40	*	Cortical Screws, 2.4 mm
4	AR-18724V-28-40	*	VAL Screws, 2.4 mm

\*Facility dependent



### Common Instruments Level 1

Pic.	Item Number	Qty.	Description
1	AR-8943-20		Periosteal Elevator, curved blade, 6 mm
2	AR-8916TL-011		Torque-Limiting Handle
3	AR-18700-35		Depth Device, 2.0 mm/2.4 mm
4	AR-18700-27		Depth Device, 1.4 mm/1.6 mm
5	AR-18700H		Handle, jeweler's knob, mini AO
6	AR-18700-44		Handle, mini AO
7	AR-18700-39		Torque Limiting Adapter, AO
8	AR-8943-21		Sharp Hook
9	AR-8943-19		Freer Elevator
10	AR-18700-53		Hohmann Retractor, double-ended
11	AR-8941F		Screw Holding Forceps, self-retaining
12	AR-18700-28		Plate Cutter, 1.4 mm/1.6 mm/2.0 mm/2.4 mm



### Common Instruments Level 2

Pic.	Item Number	Qty.	Description
1	AR-18700-48		Verbrugge Plate Holding Forceps
2	AR-18700-40		Termite Forceps
3	AR-18700-47		Ikuta Clamp
4	AR-18700-52		Reduction Forceps (Kocher), toothed
5	AR-18700-46		Lobster Clamp, mini
6	AR-18700-49		Lobster Clamp, radiolucent
7	AR-8737-57		Reduction Forceps, guidewire
8	AR-8916-24		Pliers, needle-nose
9	AR-18700-45		Reduction Forceps, pointed

Date of Surgery:

Surgeon Name:

Account:

Representative Contact Information:

Set Total:

Miscellaneous Notes:

To obtain a copy of a product's directions for use (DFU), which includes sterilization instructions, please visit our website at [www.arthrex.com/edfu](http://www.arthrex.com/edfu) or contact your local representative.

**[www.arthrex.com](http://www.arthrex.com)**

© 2019 Arthrex, Inc. All rights reserved.

