


FxBridge™ Tuberosity Repair System



Reproducible. Simple. Strong.



Arthrex® 

Tuberosity repair made simple and strong¹


- Three distinct suture colors aid in suture management for a simple, reproducible repair
- FiberTape™ suture provides more resistance to tissue pull-through compared to round suture²
- FxBridge™ technique facilitates anatomic tuberosity reduction, which increases tuberosity healing and improves postoperative range of motion¹
- 135° humeral inclination increases tuberosity healing rate and stability³⁻⁵



Before



After



[Click to see the surgical technique animation.](#)

References

1. Erickson BJ, Shishani Y, Bishop ME, Romeo AA, Lederman E, Gobezie R. Tuberosity repair in reverse total shoulder arthroplasty for fracture using a stem-based double-row repair: a cadaveric biomechanical study. *J Am Acad Orthop Surg.* 2020;28(23):e1059-e1065. doi:10.5435/JAAOS-D-19-0066
2. Arthrex, Inc. Data on file (APT-2799). Naples, FL; 2015.
3. Schmalz J, Jessen M, Holschen M, et al. Tuberosity healing improves functional outcome following primary reverse shoulder arthroplasty for proximal humeral fractures with a 135° prosthesis. *Eur J Orthop Surg Traumatol.* 2020;30(5):909-916. doi:10.1007/s00590-020-02649-8
4. Jo O, Borbas P, Grubhofer F, et al. Prosthesis designs and tuberosity fixation techniques in reverse total shoulder arthroplasty: influence on tuberosity healing in proximal humerus fractures. *J Clin Med.* 2021;10(18):4146. doi:10.3390/jcm10184146
5. O'Sullivan J, Lädermann A, Parsons BO, et al. A systematic review of tuberosity healing and outcomes following reverse shoulder arthroplasty for fracture according to humeral inclination of the prosthesis. *J Shoulder Elbow Surg.* 2020;29(9):1938-1949. doi:10.1016/j.jse.2020.03.03